

## **Network based Input System and Method**

### Field of the Invention

The present invention relates to an input method, apparatus and system, especially a text input method and system via a network.

### Background

Although currently many input software products are available in the market, none of them can completely solve the input problem for all languages. Usually, people need to have specific software for a specific language. For example, there are different input methods for Chinese. Furthermore, even for one language, there are multiple input methods. User needs to install different software for different language or even different input methods. There is no such total solution for every language and every input method.

To make things worse, not all the input methods are supported by each operating system. Users have to switch input methods on different operating systems. And for different devices, different input software products are used. For example, the input software for handheld device and set-top box are not compatible. User needs to purchase different software for their devices.

Input problems on pervasive devices are even more serious because of these kinds of devices innate limitation of storage and data processing ability.

Further more, Internet browser is now becoming more and more popular, it has been and will continue to be incorporated in all kinds of devices. And the technology of browser is becoming more powerful; it can support not only multi-language display but also java virtual machine. Such technology advance makes the input methods through web service feasible.

#### Summary of the Invention

The first aspect of the invention is to provide a network based input method and system, which makes the users to select a method from multiple input methods and multiple languages to perform text inputs.

The second aspect of the invention is to provide a network based input method and system, to make the users select more than one method from multiple input methods at the same time and perform combinative text inputs.

To achieve these and other aspects, the invention also provides an input method based on a network, said network comprises at lease one server, one or more clients which have browsers for accessing said server, characterized in that: an user can input character by accessing server via said browser.

To further achieve these and other aspects, the invention also provides an input method based on a network, said network comprises at lease one server, one or more clients which have browsers for accessing said server, characterized

in that: an user can input character by accessing server via said browser.

Figure 1 is the composition sketch map of the input system described by the invention.

Figure 2 Shows the block diagram of the client part of the input system described by the invention.

Figure 3 is the block diagram of the server part of the input system described by the invention

Figure 4 Shows the data structure of the user profile of the input system.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

These and other aspects, features, and advantages of the present invention will become apparent upon further consideration of the following detailed description of the invention when read in conjunction with the following drawing figures:

Figure 1 is the composition sketch map of the input system described by the invention.

Figure 2 Shows the block diagram of the client part of the input system described by the invention.

Figure 3 is the block diagram of the server part of the input system described by the invention

Figure 4 Shows the data structure of the user profile of the input system.

## Description of the Invention

The invention presents an input system based on a network, said network comprises at least one server, one or more clients which have browsers for accessing said server, characterized in that: an user can input character by accessing said server via said browser. The browser in the client side will download a special applet designed for the client from the server via the network, and the applet will communicate and exchange data with the server latter. In the said server part of the invention, there exist the following components: Communication Module, which is used to exchange message and data with the client via the network; User Profile Manager, which is used to store and manage information come from different clients or users; Input method Engine Pool, where different kinds of input methods/engines of different languages are stored; Operation Manager, according to the information(language, input method, input from client, etc.) for each user in the user profile, Operation Manager selects the input method for related language from Engine Pool, and feeds the input to the engine to get results.

The invention also provides an input method based on a network, said network comprises at least one server, one or more clients which have browsers for accessing said server, characterized in that: an user can input character by accessing server via said browser. The method includes the following steps:

The client connects to said server via said browser.

Downloading a applet from said server, in which said applet has a dynamic user interface generator, an input method selecting interface module, and a network interface module.

Selecting destination language and input method by the above mentioned input method selection interface, and sending the selection information to the server.

The server sends the user interface layout file to the client according to the language and input method selection from the client.

The Dynamic User Interface Generator in the client part will generate proper user input interface dynamically based on the user interface layout file from the server.

The end-user can input text via the generated interface in the former step, and the client will encode and send all the input information to the server.

The server recognizes / transcodes the received input information from the user, and sends the recognition / transcoding results to the client.

The results are shown on the user interface of the client, the user can do modification operations on the results.

The invention also provides an input method based on a network, the characters input by the user using multiple methods are recognized by using the Multi-Input Method Combiner, which is located in the server part. The above-mentioned Multi-Input Method Combiner generates the recognition results by making intersection operations on candidates sets of different input methods step by step.

Figure 1 is the composition sketch map of the whole input system. The system includes servers 1-n, one or more clients 1-k. In this system the server(s) is(are) connected with all the client(s) via network, for example the Internet. The browsing devices 1-k in the clients 1-k are used to make communications between the clients and the servers; the user can get services from the server via the browsing device from the clients. In the invention, the user can require proper input methods from the server by the browsing devices, and can also use the input method provided by the server to input texts.

The client part of the input system will be described with detail.

Refer to Figure 2, according to the invention, the client part of this input system is composed by the following blocks: Browsing Device 201, by which the user communicates with the server; the Browsing Device 201 will download an applet program 200 from the server, which contains four parts, the Dynamic User Interface Generator 202, Input Method Selection Interface 203, Data Encoder Module 205, and the Network Interface Unit 206.

The Dynamic User Interface Generator 202 can generate an User Input Interface 204 dynamically according to the selected input method and selected language by the user. The detailed information of this procedure will be described later.

The User Input Interface 204 is used to capture the data input by the user, and is used to display the results. The User Input Interface 204 may have the ability to accept the user input information from various input devices, for example, keyboard, mouse, touch screen, pen, microphone etc, and can do proper visual feedbacks according to the input methods selected by the user.

Besides the input capturing function of User Input Interface 204, another main function of this module is the display of the result on device 201. After receiving feedbacks from server, the User Input Interface 204 displays them on the device browser 201. Because the browser 201 supports the display of complete character sets for all language, the server only need to send back the internal codes of recognition results. Otherwise, the server will send back not only the internal codes, but also the pixels for displaying at the browser end.

Another advantage of User Input Interface 204 is that it detects the information on the client browser 201 and configures the user interface according to the display. For those pervasive devices with limitation for display, this function is important for more friendly user interface.

The Data Encoder Module 205 processes the captured raw input data and combines them with other information such as the user notification ID, the selected input method information (or methods). In order to minimize the data to be transferred, in the invention, the Data Encoder Module 205 may include an input method based code compressor (not shown in current figures). For each input method, the input data

is different in character frequency. In order to achieve higher compressing rate, each input method is allocated a different compressing algorithm based on the most character frequency of the input data.

The Network Interface Unit 206 administrates the data received and sending from/to the server end. It includes an encryptor to encrypt the data package for transferring as well as a decryptor to decrypt the data package from the server. The server part also has the corresponding encryptor and decryptor function.

The basic structure of the server part of this input system is described as below.

The server handles the entire input request from the client, receiving the data sent from the client, providing user interface configuration and layout for client, interpreting the client data to related user profile information, and generating results and sending them to the client.

As shown in figure 3, the server part includes the following components:

#### Communication Module

This module includes a Receiver 301, which receives the messages sent from the client. A Encryptor/Decryptor 302, used to decrypt or encrypt the information received or to be sent. An User Identification Component 303, which reads the user ID from the messages deciphered and sends the information to the balance scheduler if necessary. The



Sender Module 304 calls the encrypt function first to package the messages sent to the client and then sends the messages out.

#### User Profile Manager

The User Profile Manager 305 records and manages all the user information from different clients. In this module, each user has a related profile storing his/her information. This profile is initialized when the user connects to the server and requests for input service. It includes the user ID information, language selection, and input method selection. During the input procedure, the profile records all the input sent from the client by the user and stores the related recognition results generated from the Operation Manager 308. Further more, the user profile is divided into two sub-areas: History Results Area and Current Input State Area, wherein, the History Results Area is used to store the candidate characters generated by different engines in Engine Pool 314 as well as the confidence values of each candidate character. The Current Input State Area is used to save the original data from the client, current temporal recognition result and all the current state information. The data structure of the user profile is shown in figure 4.

Several sub-modules are included in this User Profile Manager 305 to respond to the Operation Manager 308. And these sub-modules include Input Tracking Daemon 306, used to extract all the input the user made and add data to the profile for this user. Also the user profile will provide the user input information for the Operation manager to get the input results. The results of the input got from the

Operation Manager will also be stored in the profile. The Output Generator 307 takes the results from the profile and formats the results into HTML.

### Operation Manager

The Operation Manager 308 includes a language ID module 309, used to get the language the user is now using from the user profile; a method selector 312, used to get the method the user is now using from the user profile; an operation managing unit 310, used to select an input method engine from the input method engine pool based on the information in the profile, such as selected language; selected input method, and sends the user input based on the input method to the engine to recognize the input character; an input user interface loader 313, used to read input user interface configuration information from the input method engines pool 314 based on the selected method, and configure the input user interface layout. The layout will then be stored in the user profile and sent to the Dynamic User Interface Generator 202 to further generate an input user interface for using. If an user selects multi-methods, the input user interface loader 313 will generate a combined input layout for the user. Furthermore, the operation managing unit 310 includes a combiner 311, used to decide whether the user selects multi-methods or not, and fetch a set of candidates of different selected methods from the engine pool 314 if yes.

### Engine Pool

The Engine Pool 314 is a pool for all kinds of input methods. All the input methods are grouped by languages, e.g. for example, Chinese, Japanese. For each input methods, the engine, related database and user interface layout information are stored. The mapping based input method includes Encoding based Input Engine 316, 322, like Code Book Recognizer, code generator, etc. The Handwriting input method includes HW recognition engines 315, 321. The speech input method includes speech recognition engine 317, 323. For each input method, there is special user interface data for browser displaying in different device. Besides different input methods for each language, there is another part for specific language, which is the Postprocessor based on language model 319, 325. This part is the common part for different input methods for one language, which provides the language or context information to get more accurate results. Multi-input method Combiner 318, 324 is another important part for each language. It will handle how to combine the results from different methods. The results from Multi-input method combiner 318 will be directly sent to the Combiner in the Operation Manager 308.

In order to support the need of many users simultaneously, a server cluster including many powerful machines must be exploited to achieve this goal. At this time, the invention may include one Balance Scheduler, which is located between the Communication Module 300 and many servers using the invention. The Balance Scheduler allocates the user requests and balances the computing resources of the server cluster.

After explaining the basic architecture of this system, here we will explain how the users can do text input operations using the input system described in this disclosure.

In convenience of our description, lets suppose there exists an user who is using his laptop computer. He now wishes to send one of his friends an e-mail in China, however, he has no Chinese input software installed in his current laptop computer. He can use the input system in this system to do the Chinese text input at this time. To achieve this goal, the user should do the following work.

#### 1) Initial Connection

The user must finish the system initialization task first, this task is done by accessing the server, which provides the input system described in the invention. The user first launches his Browsing Device 201 on his machine, and builds the connection with the server. After the browser at client end first gets connected with the server, the server generates an exclusive user identification (user ID) and initializes an user profile related to this user identifier on a specific sever machine. Then the server sends the user ID as well as the client end applet 200 back to the users browsing device. The user ID can be sent to the client as a cookie. After accepting the applets 200, the browser 201 launches the applet. At this time, the initialization work is finished.

In an example embodiment of the invention, after the applet 200 is launched, an initial user interface and a default

input method is shown on the browsers client area. In this example, the default English input method interface is displayed.

From now on, the user can do input work using the downloaded applet.

## 2) Input Language & Input method selection:

The user can select the destination language by using Input Method Selection Interface 203, in this example, the user chooses Chinese; then the user selects the Five Stroke input method of Chinese language. The selection information made by the user is sent to the server via Communication Module 300. The information of selected language, selected input method is then stored in the user profile corresponding to this user. Then the User Profile Manager 305 notifies the Operation Manager 308 about the user language & input method selection stored in the user profile.

The Dynamic User Interface Generator 313 in the Operation Manager 308 gets the corresponding user interface information from the Engine Pool 314 and generates the user interface layout for this user. The user interface layout is sent back to the related users user profile, and sent to the Sender module 304 by Output Generator 307. The layout is at last sent to the client by the Sender module 304.

The User Interface Generator 202 in client part interprets the layout information, and generates the User Input Interface 204. The User Input Interface 204 can be composed

by the keyboard bitmap display on the interface or any other style, which can help the user to finish text input jobs.

The user can switch input method if he needs, for example, from Five Stroke to Handwriting and Pinyin combination. The operation is similar with the operations described above. However, the User Input Interface Loader 313 will combine the layout information of "Pinyin" and "Handwriting" to generate a uniform presentation. The User Interface Generator 202 in the client part will generate a combined input interface according to the received combination layout information. When the user changes his input method, the new layout file will be downloaded from the server and the old one will be discarded.

### 3) Input using the selected input method

After the user finished the input of one character, for example, when the user finished typing the stroke information of character "口" in the "Five Stroke" input area of User Interface 204, the Data Encoder Module 205 will encode and encrypt the original "Five Stroke" keystrokes of character "口" as well as the user identity information to a data package. The Network Interface Unit 206 then sends the data package to the server.

In the server part, after the receiver 301 receives the data package, the User Identification Component 303 will recognize the user ID from the package. After decrypting by the Encryptor/Decryptor module 302, the User Input Tracking Daemon 306 in the User Profile Manager 305 will extract the

keystroke information of character "□", and save it in the Current User Stage Area of the user profile. The Operation Manager Unit 310 will select corresponding engine from Engine Pool 314 according to the information read by Language Selector 309 from the user profile, method selection information read by Method Selector 312 from the user profile. In this case the selected engine is encoding based input engine 316. This engine will translate the user input keystrokes into Chinese character.

When a character is recognized, the Operation Manager Unit 310 will put the results to the history area of the user's profile, and notify the Output Generator 307 in the User Profile Manager 305. This output generator reads the information from the user profile database and does the code formation translation work if needed, for example, from GB to BIG5, or BIG5 to UNICODE if the user needs, then generating the result HTML page from the results. The destination data format to be displayed on the client side is now generated. The Output Generator next sends the result to the Sender. The Sender then seeks the user address and sends the result to the correct address.

After the user finished using the input method, he/she can copy & paste the Chinese results to the E-Mail software he uses and then sends the e-mail out.

If the user prefers, the results will also pass through a Language model based post processor to get result more accurately and quickly, this post processor is shared by all the input methods of a specific engine

#### 4) Combinative Input

In this section we will describe another feature of the invention - Combinative Input method. For the convenience of describing, suppose we select the "Pinyin" input and "Handwriting" input for combinative input. The user wishes to input the Chinese character "戊" using handwriting via the handwriting input area of the input method. However, there exists many Chinese characters that have similar shape as "戊", e.g. "戌", "戒", "戎", the user is not quite sure of this handwriting of character "戊". So he writes one Chinese character which he thinks it should be "戌", the server responses the input, according to the procedure described above, the candidate characters generated by recognition based engine 315, e.g. "戌" "戌" "戒" "戎" is put into the History Area of user profile. And then sent to the client. At this time, the user input the pinyin of this character - "wu". Responding to this input, the server sends candidates of the pinyin method generated by Encoding based engine 316 to the Current Input State Area. Since the user has selected combinative input method this time, the User Input Combiner



in the server combines the result from handwriting recognition and Pinyin translation, generates final result by intersecting the two candidates sets. In this case, we get the final result “戊”, this result will update the contents of the History Area of the user profile, and then sent to the client.

By using this kind of input method combination, the user is released from the tiresome procedure of candidate selection. Of course, the combinative Input described in the invention is not limited to combining handwriting input with Pinyin input method. In fact, the user can build any kinds of combinations from the input methods provided by the server.

The present invention can be realized in hardware, software, or a combination of hardware and software. The present invention can be realized in a centralized fashion in one computer system, or in a distributed fashion where different elements are spread across several interconnected computer systems. Any kind of computer system - or other apparatus adapted for carrying out the methods described herein - is suitable. A typical combination of hardware and software could be a general purpose computer system with a computer program that, when being loaded and executed, controls the computer system such that it carries out the methods described herein. The present invention can also be embedded in a computer program product, which comprises all the

features enabling the implementation of the methods described herein, and which - when loaded in a computer system - is able to carry out these methods.

Computer program means or computer program in the present context mean any expression, in any language, code or notation, of a set of instructions intended to cause a system having an information processing capability to perform a particular function either directly or after conversion to another language, code or notation and/or reproduction in a different material form.

It is noted that the foregoing has outlined some of the more pertinent objects and embodiments of the present invention. This invention may be used for many applications. Thus, although the description is made for particular arrangements and methods, the intent and concept of the invention is suitable and applicable to other arrangements and applications. It will be clear to those skilled in the art that other modifications to the disclosed embodiments can be effected without departing from the spirit and scope of the invention. The described embodiments ought to be construed to be merely illustrative of some of the more prominent features and applications of the invention. Other beneficial results can be realized by applying the disclosed invention in a different manner or modifying the invention in ways known to those familiar with the art.

The invention have been described in detail with figures and examples. The descriptions are not intended to make limitations on the invention. The detailed implementations

can be modified or improved without departing from the  
essence and scope of the invention.

11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208  
2209  
2210  
2211  
2212  
2213  
2214  
2215  
2216  
2217  
2218  
2219  
2220  
2221  
2222  
2223  
2224  
2225  
2226  
2227  
2228  
2229  
2230  
2231  
2232  
2233  
2234  
2235  
2236  
2237  
2238  
2239  
2240  
2241

5. The input method according to claim 4, characterized in that:

further comprising the step: a balance scheduler allocates the user requests to a plurality servers.

6. The input method according to claim 5, characterized in that:

the information sent from the client is stored in an user profile which has a history area for storing previous recognized candidates, and a current input area for storing the candidates of the current recognizing characters.

7. The input method according to claim 6, characterized in that: further comprising the step: a multi-input method combiner in the server combines the different recognized candidates of different input methods.

8. The input method according to claim 7, characterized in that: said multi-input method combiner obtains the recognized results by intersecting the recognized candidates of different input methods.

9. The input method according to claim 6, characterized in that: further comprising the step: a postprocessor based on language model in the server forecasts the recognizing character based on the recognized candidates.

10. An input system based on a network, said network comprises at least one server, one or more clients which

have browsers for accessing said server, characterized in that: an user can input characters by accessing said server via said browser.

11. The input system according to claim 10, characterized in that:

on the client side:

the browser downloads an applet from the server to input characters and to display the results,

on the server side: said server comprising,  
a communicator for sending and receiving data to/from the client;

an user profile manager for storing and managing information of different clients;

an input method engines pool for storing different input method engines of different languages;

an operation manager for selecting an appropriate input method engine based on the selected language and selected input method, and for sending the input characters to be recognized to the engine.

12. The input system according to claim 10, characterized in that:

said applet includes:

an input method selecting interface module for selecting language and input method;

a dynamic user interface generator for dynamically generating an input user interface;

a data encoder for compressing the input information;

a network interface module for sending and receiving data to/from the server.

13. The input system according to claim 12, characterized in that: said data encoder has an input method based code compressor for allocating different parameters of compressing algorithm to different input methods.

14. The input system according to claim 13, characterized in that:

said server further has a balance scheduler to allocate the user requests to a plurality of servers and to balance the computing loads of the servers.

15. The input system according to claim 13, characterized in that: said communicator includes:

a receiver for receiving the information sent from the client to the server;

a decryptor/encryptor for decrypting and encrypting the information received or sent out;

an user identification component for reading the user id from the information deciphered.

16. The input system according to claim 10, characterized in that: said user profile manager includes:

one or more user profiles for storing the user id information, the language selection and the input method selection, and the data sent from the client, said profile is further divided into two parts: a history area for storing previous recognized candidates, a current input area for storing current recognized candidates; an input tracking daemon for extracting all the input received from the client; an output generator for taking the results from the profile.

17. The input system according to claim 11, characterized in that:

said operation manager includes:

a language id module for getting the language the user is now using from the user profile;

a method selector for getting the method the user is now using from the user profile;

a operation managing unit for selecting an input method engine from the input method engine pool based on the output of the language id module and the method selector to recognize the input character;

an input user interface loader for reading input user interface configuration information from the input method engines pool based on the selected method, and for configuring the input user interface layout.

18. The input system according to claim 16, characterized in that:

the operation managing unit further includes a combiner, for deciding whether the user selects multi-methods and for getting combined candidates of different selected methods if the user selects multi-methods.

19. The input system according to claim 16, characterized in that:

the input method engines pool includes:

a plurality of input method engines for recognizing the input characters;

a multi-input combiner, for combining the candidates of different methods if the user selects multi-methods to input characters;

a postprocessor based on language model, for forecasting the recognizing character based on the previous recognized candidates.

20. The input system according to claim 19, characterized in that:

the input method engines include:

handwriting recognition engine for recognizing the handwriting input information;

speeching recognition engine for recognizing the speech input information;

code-based recognition engine for recognizing the input character by matching.

21. An article of manufacture comprising a computer usable medium having computer readable program code means embodied therein for causing an input method based on a network, the computer readable program code means in said article of manufacture comprising computer readable program code means for causing a computer to effect the steps of claim 1.

22. A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for an input method based on a network, said method steps comprising the steps of claim 1.

23. A computer program product comprising a computer usable medium having computer readable program code means embodied therein for causing an input method based on a network, the computer readable program code means in said computer program product comprising computer readable program code



means for causing a computer to effect the functions of claim 10.

24. An input method comprising:

at least one user having a browser for accessing a server based in a network, and

said at least one user inputting characters by accessing said server via said browser.

25. The input method according to claim 24, further comprising the steps of:

connecting to said server via said browser;  
downloading an applet from said server, in which said applet has at least one of: a dynamic user interface generator, an input method selecting interface module, and a network interface module;  
selecting a proper language, and sending selected information to said server;  
said server sending an input interface layout to said client according to selected information;  
said dynamic user interface generator generating an user interface based on the input interface layout;  
inputting characters and sending said characters to said server;  
said server recognizing the received characters, and sending the recognized results to the user; and  
displaying the results for said user.

26. An article of manufacture comprising a computer usable medium having computer readable program code means embodied therein for causing an input method, the computer readable program code means in said article of manufacture comprising computer readable program code means for causing a computer to effect the steps of claim 24.

27. A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for an input method, said method steps comprising the steps of claim 24.

JP920000140US1